



**HOSOKAWA ALPINE**

1 - 16  $\mu\text{m}$

Elektrogeformte Folie  
electroformed film

Maschen-/Lochweite Mesh/ hole width $\mu\text{m}$	ISO 3310 1-3 $\mu\text{m}$	ASTM E11 No.	Tyler ® Mesh	BS410 / ISO3310 $\mu\text{m}$
5	5			
10	10			
16	16			
20	20	635	635	20
25	25	500	500	25
32	32	450	450	32
36	36			36
38	38	400	400	38
40	40			40
45	45	325	325	45
50	50			50
53	53	270	270	53
56	56			56
63	63	230	250	63
71	71			71
75	75	200	200	75
80	80			80
90	90	170	170	90
100	100			100
106	106	140	150	106
112	112			112
125	125	120	115	125
140	140			140
150	150	100	100	150
160	160			160
180	180	80	80	180
200	200			200
212	212	70	65	212
224	224			224
250	250	60	60	250
280	280			280
300	300	50	48	300
315	315			315
355	355	45	42	355
400	400			400
425	425	40	35	425
450	450			450
500	500	35	32	500
560	560			560
600	600	30	28	600
630	630			630
710	710	25	24	710
800	800			800
850	850	20	20	850
900	900			900
1000	1000	18	16	1000